

DM	Feature Selection Setup							
	Model	STFWI	STM	FWI	M			
Naive	18.61 $\pm$ 0.01	<b>(63.7<math>\pm</math>0.0)</b>	18.61 $\pm$ 0.01	<b>(63.7<math>\pm</math>0.0)</b>	18.61 $\pm$ 0.01	<b>(63.7<math>\pm</math>0.0)</b>	18.61 $\pm$ 0.01	<b>(63.7<math>\pm</math>0.0)</b>
MR	<b>13.07<math>\pm</math>0.01</b>	(64.5 $\pm$ 0.0)	<b>13.04<math>\pm</math>0.01</b>	(64.4 $\pm$ 0.0)	13.00 $\pm$ 0.00	(64.5 $\pm$ 0.0)	13.01 $\pm$ 0.00	(64.5 $\pm$ 0.0)
DT	13.46 $\pm$ 0.04	(64.4 $\pm$ 0.1)	13.43 $\pm$ 0.06	(64.6 $\pm$ 0.0)	13.24 $\pm$ 0.03	(64.4 $\pm$ 0.0)	13.18 $\pm$ 0.05	(64.5 $\pm$ 0.0)
RF	13.31 $\pm$ 0.02	(64.3 $\pm$ 0.0)	<b>13.04<math>\pm</math>0.01</b>	(64.5 $\pm$ 0.0)	13.38 $\pm$ 0.05	(64.0 $\pm$ 0.1)	12.93 $\pm$ 0.01	(64.4 $\pm$ 0.0)
NN	13.09 $\pm$ 0.04	(64.5 $\pm$ 0.0)	13.92 $\pm$ 0.60	(68.9 $\pm$ 8.5)	13.08 $\pm$ 0.05	(64.6 $\pm$ 0.1)	13.71 $\pm$ 0.69	(66.9 $\pm$ 3.4)
SVM	<b>13.07<math>\pm</math>0.04</b>	(64.7 $\pm$ 0.0)	13.13 $\pm$ 0.02	(64.7 $\pm$ 0.0)	<b>12.86<math>\pm</math>0.00</b>	(64.7 $\pm$ 0.0)	<b>12.71<math>\pm</math>0.01</b>	(64.7 $\pm$ 0.0)